

Versione: 2

Data Revisione: 01/06/2023

Pagina 1 di 4

INFORMATION SHEET

(Sheet provided on request only for professional users)

Important note:

The abrasive wheels are considered as "articles" by Reg. 1907/2006/EC (REACH). Therefore, the drafting of the MSDS is made by DISCOTELSISAL on a voluntary basis, to provide their customers with information about the safe use, handling and disposal of this product. As a result, not all points of the safety sheet are complete.

SECTION 1: IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY/UNDERTAKING

1.1 IDENTIFICATION OF THE PRODUCT

Product line: NWF ABRASIVE FLAP WHEELS SILICONE CARBIDE RESINATED

Commercial name: FW-TMC S H-I

Classification Type: Article

1.2 USE OF THE PRODUCT

Identified uses: Abrasive product for professional use only

1.3 COMPANY IDENTIFICATION

Company: DISCOTELSISAL S.r.l.

Address: VIALE LOMBARDIA, 401 - 20861 BRUGHERIO (MB) - ITALY

 Telephone
 +39 039 83798.1

 Fax:
 +39 039 2840125

 E-mail:
 sales@discotelsisal.it

SECTION 2: HAZARDS IDENTIFICATION

2.1 PRODUCT IDENTIFICATION

The abrasive wheels, not being a mixture, are excluded from the list of substances classified as hazardous as defined by Regulation 1272/2008/EC (CLP).

2.2 LABEL ELEMENTS

Labeling in accordance with Regulation (EC) 1272/2008 (CLP)

Hazard pictograms: none Warnings: none Indications of danger: none Precautionary statements: none

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

The product contains the following ingredients:

Silicon Carbide Mineral

Nylon Fibers Cured Resins

Bakelite Tube

SECTION 4: FIRST-AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

Applicable if abrasive wheels are in use on machines.

Inhalation: Move the person to fresh air. Consult a doctor if symptoms persist.

Eye contact:

Remove from exposure and flush eyes with water. Consult a doctor if symptoms persist.

Skin contact: Wash the affected area with soap and water. Consult a doctor if symptoms persist.

Ingestion: No dangerous health effects are known.

SECTION 5: FIRE-FIGHTING MEASURES



Versione: 2

Data Revisione: 01/06/2023

Pagina 2 di 4

5.1 EXTINGUISHING MEDIA

Suitable: water, foam, sand, dust or CO2 as appropriate for nearby materials.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

The product is not flammable. In case of fire, toxic fumes may be released.

SECTION 6: ACCIDENTAL CONTAMINATION MEASURES

Not applicable

8.1

SECTION 7: HANDLING AND STORAGE

Follow the instructions of the machine manufacturers and national regulations. Store in a dry and safe place. Be careful not to drop the product on the floor. Moisture, along with deformation from high stresses, can cause inadequacy in the product. If the product has been wet or immersed, do not use it, even after it is completely dry. Store the product for at least 24 hours at moderate temperatures below 40° C = 104° Fahrenheit

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Respect the maximum rotation speed (RPM) as indicated on the wheels.

Before processing it is recommended to carry out a risk assessment and to use personal protective equipment accordingly.

Provide the sanding, grinding or processing rooms with adequate ventilation systems.

Provide adequate ventilation to control dust, fume or particulate concentrations below

recommended exposure limits.

Use general dilution ventilation and/or local ventilation systems to control air exposure and/or to control dust, fumes or airborne particles. If ventilation is not adequate, wear protective respiratory equipment.

Notes: dangerous dusts/fumes from the piece being worked on can be produced during sanding and/or machining. National regulations relating to dust exposure limit values must be taken into consideration.

8.2	Exposure controls
8.2.1	Occupational exposure controls
8.2.1.1	Respiratory protection: Use respiratory protection devices (the type depends on the specific process and the material processed)
8.2.1.2	Hand protection: Wear protective gloves (the type depends on the specific process and the material processed)
8.2.1.3	Eye protection: Wear protective goggles or visor (the type depends on the specific process and the material processed)
8.2.1.4	Hearing protection: Wear ear protectors (the type depends on the specific process and the material being processed)
8.2.1.4	Body protection: Wear protective clothing (the type depends on the specific process and the material processed)

OFOTION O BUYOLONI	AND QUENION DEODEDIES
SECTION 9. PHYSICAL	AND CHEMICAL PROPERTIES

9.1	Physical state	Solid
9.2	Color	Dark grey
9.3	Self-combustion temperature	Not applicable
9.4	Flash point	Not applicable
9.5	Flammability limits - LEL	Not applicable
9.6	Flammability limits - UEL	Not applicable
9.7	Boiling point	Not applicable
9.8	Density	Not applicable
9.9	Vapor density	Not applicable
9.10	Vapor pressure	Not applicable
9.11	Specific gravity	No data available
9.12	рН	Not applicable
9.13	Fusion point	Not applicable
9.14	Solubility in water	Not applicable



Versione: 2

Data Revisione: 01/06/2023

Pagina 3 di 4

9.15	Evaporation rate	Not applicable
9.16	Kow - Oct/Water coeff. Partition	Not applicable
9.17	Viscosity	Not applicable

SECTION 10: STABILITY AND REACTIVITY

10.1	STABILITY		
Stable	Abrasive wheels are stable when handled	Abrasive wheels are stable when handled or stored correctly.	
10.2	REACTIVITY		
10.3	Conditions to avoid:	No notes	
10.4	Materials to avoid:	No notes	
10.5	Hazardous decomposition products:	Under conditions of recommended use, hazardous decomposition products are not expected. Hazardous decomposition products can occur as a result of oxidation, heating, misuse or reaction with another material.	

SECTION 11: TOXICOLOGICAL INFORMATION

No known toxic effects if inhaled or in contact with eyes or skin. See also paragraph 8.

SECTION 12: ECOLOGICAL INFORMATION

12.1	Ecotoxicity:	Not applicable
12.2	Mobility:	Not applicable
12.3	Persistence and degradability:	Not applicable
12.4	Accumulative Bio Potential:	Not applicable
12.5	Other dangerous effects:	Not applicable

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 PRODUCT

If not used, follow national and regional regulations and dispose of as non-hazardous special waste.

After use, abrasive wheels may have been contaminated by hazardous substances (particles or cooling agents) and must be disposed of in accordance with national and regional regulations as special waste and evaluate classification as hazardous.

13.2 PACKAGING

Follow national and regional regulations.

SECTION 14: TRANSPORT INFORMATION

Non-hazardous material for transport. The product is not subject to the provisions of current legislation on the transport of dangerous goods by road (ADR), by rail (RID), by sea (IMDG Code) and by air (IATA).

SECTION 15: REGULATORY INFORMATION

There are no specific labeling requirements according to the European Directives.

Extremely non-occupying substances (SVHC) candidate for authorization under EC Regulation n°1907/2006 (REACH article 59)

none

Substances subject to authorization procedures in accordance with EC

none

Regulation No. 1907/2006 (REACH Annex XIV)

none

Restrictions pursuant to EC Regulation n°1907/2006 (REACH annex XVII)

Restrictions applicable according to Directive 2012/18/EU (SEVESO III)

none

SECTION 16: OTHER INFORMATION



Versione: 2

Data Revisione: 01/06/2023

Pagina 4 di 4

The above information is based on the state of current knowledge and does not constitute any guarantee of the condition of the product. The information does not form part of any contractual agreement. It is your responsibility to comply with existing laws and regulations.

Main bibliographic references and data sources:

- EC Regulation No. 1272/2008 (CLP) (and subsequent amendments and adjustments)
- EC Regulation No. 1907/2006 (REACH) (and subsequent amendments and adjustments)
- Safety data sheets of raw material suppliers